

GENERAL AND REVENUE SECRETARIAT.

1905
(*Muzrai*)
File No. 5

Serial Nos. 1—16

Papers Filed.

Month *July 1908.*

SUBJECT
*Repairs to Malik Rahman tomb and the
New Jumma Masjid at Sera.*

PREVIOUS REFERENCES

LATER REFERENCES

MUZRAI SECRETARIAT

OFFICE NOTE.

File No.

SUBJECT.

Repairs to Malik Rahman tomb and
the new Jumma Masjid at Sira

From

The Dy Commr Tumkur Dt.

Lettr No. 578 Dated 15th December 1905

Mr. G. Srinivasarao, Sup^r Engineer brought to the notice of Govt. that the Malik Rahman tomb and the new Jumma Masjid at Sira are in a state of disrepair and that they are noted for architectural interest. The Dy. Commr. Tumkur Dt. was thereupon asked to submit an Estimate for the repairs of the two buildings and he has accordingly sent for an Estimate for Rs 1102/- for repairing the Jumma Masjid at Sira

no. 4116 d/4/5/05

'X' no 578 d/15/12/05

File No.

of

Muzrai Secretariat.

He reports that the Masjid & the Tomb are endowed with some iram lands, which are in the possession and enjoyment of the agents or caretakers of the respective Institutions.

The income from the Iram lands is reported to be expended for daily lighting, the stipulated *Tatiba*, ~~or~~ ^{and} for every gear in the respective Institutions and that very little is left for the maintenance of the caretakers. The income from the lands which consist of wet and garden lands being of a fluctuating character, owing to the repeated scanty rainfall & scarcity of water supply in the tank, it is reported that there have been years when the income has hardly sufficed to meet even the stipulated daily and annual expenditure, that on such occasions a few well-to-do Mahomedans of the place ~~are~~ ^{have} a share of the expenditure in the maintenance of the caretakers.

Muzrai Secretariat.

File No.

of 190

Under the above circumstances the Dy. Commr. recommends that the cost of the Estimate may be met from the State Grant of the current off-year.

A
3/1/06

Submitted for order:

P.S.
6/1/06

The building is stated to be one of much architectural interest. The estimate for Rs: 1102/- may therefore, it is said, be sanctioned from the State Grant, the balance of which at present is Rs: 6488/-. As the whole of the cost has to be met from the State Grant, the P.W. Dept may be asked not to charge the usual $10\frac{1}{2}$ per cent for "Supervision and Tools & Plant"

152
10.1.06.

Subd to the Dewan
through the 2^d }
=

Shanabadee Rao
6/1/05

File No.

of 190

Muzrai Secretariat.

Surge's proposal being
approved. 11/1/06.

ll 13/1/06 1085-2
yes

10788
13.1.06
und
14.1.06

Draft accepty ll
17/1/06
ck. 17/1/06

Ans
17/1/06

Ag. sum
18/1/06

Issue ll 18/1/06.

Muzrai Secretariat.

File No.

of 190

Note Continued.—

no 4116 D 4 5. 05

The Deputy Commissioner was requested to submit an Estimate for the repairs to Malik Rahman Tomb and the new Jumma Masjid at Sira. He submitted an Estimate for Rs. 1102/- for repairing the Jumma Masjid. It was sanctioned in Govt. Pro. no 3082-4 D 19th January 1906, the Charge being met from the State Grant.

The Dy Commissioner in forwarding an Estimate for Rs. 2706/- for repairing the Malik Rahim Dargah at Sira, states that it provides repairs to four structures, viz, (1) Compound wall, (2) Dargah, (3) Masjid, and (4) Nagarkhana, that the Executive Eng^r is of opinion that structure no (2) proper needs no repairs, that no (3) is

Page (6)

File No.

of 190

Muzrai Secretariat.

Muzrai Secretariat.

File No.

of 190

is superfluous considering that there is a Masjid in the Town and that a small shed for the caretaker may be constructed instead of a costly Nagarkhana and solicit orders in the matter.

Under the circumstances explained by the Dy. Commr and the Ex. Engineer, it is a question for consideration as to whether it is desirable to sanction the repairs from the State Grant, the District having no funds of its own.

Subd

Is
25/4/07 Reply that the Govt. upon a perusal of the Ex. Engr's report received with the Dy. Commr's letter, do not consider that the

it necessary to sanction any funds from the State Grant for the repairs of the Malik Rahnman Dargah, at present.

The matter however may be brought to the notice of the undersigned when he next visits the place.

Enquire whether the repairs sanctioned to the Jamma Masjid in the G.O. order of the 19th Jan 1906, have been completed, sending copy to the Chief Engineer

19 - 4 - 07

Note Continued. - -

Am: 1

19/4/07.

The Deputy Commissioner reports that the works sanctioned to the Jamma Masjid have been completed and the completion ~~report~~ report sent to the Comptroller, P. W. D. to the Executive Eng^r, Jankher D^r. Subtd with a draft enquiring of the Chief Eng^r whether the work has been completed

Muzrai Secretariat.

File No.

of 190

note continued.

The Chief Engineer ^{states} ~~informs~~ that the works sanctioned to the Juma Masjid have been completed and that the completion report therefor obtained from the Agent of the Masjid is forwarded for information.

This may be "Recorded".

Subd
W. S. P. 107

Yrs. H. S.
26/11/07

all

note continued: -

Petition addressed to the Dewan P.S. by the Mohomudans of Siva, praying for the repairs to the Malik ~~the~~ Rahimion she Dargah at Siva was forwarded to this office.

The Dewan was pleased to order as follows.

" It is understood that the matter is under
" Consideration in the Muzrai Dept. This
" May be referred to the Muzrai Secretary.

File No.

of 190

Muzrai Secretariat.

The Deputy Commr forwards herewith the Estimate and other enclosures returned with this Office Docket No 5279 D, 13th May 1907.

The Estimate for Rs 2706/- for the repairs of the Darga could not be sanctioned for want of funds. The question was reserved for Personal Inspection. The details of the Estimate have been shown in page 5 of this note.

The building which is the tomb of Malik Rahiman, Subedar of Gira from 1638-1650 has some pretensions for architectural interest.

Subtd for order

4/4/08

Muzrai Secretary's remarks:-

This case is now submitted because the Mahomedan inhabitants

Muzrai Secretariat.

File No.

of 190

of Sira petitioned the Dewan when he visited the place in December last, and prayed that the Hallik Rahman Darga at the place might be repaired at the cost of Government.

The question having previously come up before Government, it was found that the estimate amounted to such a high figure as Rs 2706/- that the Executive Engineer did not recommend most of the works required (vide page 5 of this Note). It was also found impossible to sanction a large sum from the State Grant. Orders were therefore passed declining any contribution from the State Grant.

I think the petitioners may

be informed that if they come forward with a large contribution Government will consider whether it is possible to make some assignment of funds from the State Grant of the ensuing year.

405
6.4.08
Submitted to the
2nd Councillor

Manthana Pillay
6th April 1908

I agree Please obtain Dewans
orders also as he has lately
visited the place

Subd to the Dewan
6/4/08

8615
7.4.08

547/15745
Draft subd
Public draft 28367
1/17/08

Subd

An Estimate for Rs 2706
was received from the Dy
Commr for the repairs of
the Dargi but sanction
could not be accorded
on account of want of funds.
The question was reserved
for Personal Inspection.

The Office note below
explains the facts.

by
66108

Sanction of funds on
account of this work was
refused in this Office docket
N^o 5279 d: 13th May 1907

Please call for the
enclosures returned
with that docket - YH

19/1/08

11/1/08

11/1/08
188 sub? - 25/1/08

The
Petitioner
Mahomedan
of Sira.

Dated 27 12. 07.

in response to
Jus. 8/1/08
Raj. 11/1/08

Dewan's order

It is under-
stood that the
matter is under
consideration in the
Ningzoi Departt -
This may be re-
ferred to the muz-
roi secretary -

Beq that
the Mallik
Rahman Durga
at Sira, which
is in a dilapi-
dated condition
may be re-
paired at Govt
cost

For
12 07 }

B.D.
lu.

VS.
Please put up
the file & give at once.
Subd.
5/11/07

۲۵۴

کتابخانه

کتابخانه - کتب خطی - کتب نفیسه

۱۹۰۷-۱۲-۲۶

کتابخانه

کتابخانه

کتابخانه

کتابخانه

کتابخانه

کتابخانه

کتابخانه

کتابخانه

کتابخانه

Muzrai. 9/2

No 4116 Eng/1

7.4.505

To, The Dy Comm
Tumkur Dist.

Sir,

Mr. Y. Sreenivasa Rao,
Superintending Eng^r brings
to the notice of Govt
that the Malik Rahman
tomb and the new Jumma Masjid

at Sira are in a state
of disrepair. A copy of his letter is enclosed.

As the two
~~buildings~~ ^{structures} are stated to

be of architectural interest

I am directed to request

you to forward a proposal

at an early date, and

Estimate for their renovation.

in consultation with
the Executive Eng^t
The ^{exact} savings if any, at the
credit of the two mestars
should ~~also~~ be reported, ~~together with info~~
The Mohomedan residents
of the place who are interested
in the up keep of the mestars
should be called upon
to contribute a moiety
of the estimated cost
& a detailed report submitted
to Govt' procees encl. who are enjoying the man
lands endowed to the mestars and what they have been in
repairing the buildings
shd also be ascertained
& reported.

Yll H/2/05
Secy
Muz Dept
W/ 2/5/05

Wick
H. L. Thompson
1601
1/15/85

Bachopfer

20. - 4 - 85

Dear Mr. Schuchman, Esq.

I inspected the Shalish
Rabbinian Tomb and New Jerusalem
during my visit on the 25th instant.
The former is a very good piece of archi-
tectural work & is deteriorating for want
of attention. The most urgent need is an

wall, together with thorough cleaning
of front of the parapet wall on the N side
incomplete & it is said that the required
work, are buried somewhere near the building.
These may be recovered and the parapet
restored. This may be done at leisure.

The Jerusalem is a good stone structure
is said to be leaking. The surrounding
require cleaning if possible.

I beg you to do everything to
prevent deterioration of these fine structures.

40th anniversary
of the
1979. 1979

Much
A R. L. J. H. K.
about

11/21

В заключение

20. -4 vs

Dear Mr. Augusta Row

2. *crapellus* *re* *shale*

Rahman Tomb and New Jemma
 always at sea on the 25th "Lusitania"
 the former is a very good piece, archi-
 -tectural work & is delightfully free & well-
 of attention. The more-urgent need is an
 enclosure wall, long & not through showing
 up. A part of the principal wall on the N side
 is incomplete & it is said that the required
 stones, are buried somewhere near the building.
 These may be searched out & the principal
 completed. This may be done at present

The Jernuwa is a good stone structure
it is said to be blessing the surrounding
region blessing it forever.

I beg you to do everything to
prevent deterioration of the fine specimens.

70ms receiving
Specimen
Supp: Supp en

Bangalore,

4th May 1905.

Dear Mr. Srinivasa Rao,

I am very thankful to you for your kind note of the 28th instant suggesting the repairs of the Malik Rahiman Tomb and the new Jumma Masjid at Sira. I have written to the Deputy Commissioner of Tumkur for the needful information and will soon attend your suggestions.

I shall be much

obliged if you will kindly make similar
references to me when you come across
Muzrai buildings of importance which
require attention at the hands of the
Muzrai Department of the Government.

Hoping you are well.

I remain,
Yours very si

A handwritten signature in dark ink, appearing to be 'J. P. H.', written in a cursive style with a horizontal line underneath.

Put up to the
to the Imam in the - & for the Imam

I am very thankful to you for
your kind note of the 29th inst. and
suggesting the the repair of the
Mablit Rahman tomb and the
Imama Masjid at Samarra. I have
written to the Imam of Samarra
for the needed information
and will soon attend to your
suggestions.

I shall be much obliged if
you will kindly make some
inquiries to the Imam of Samarra
across ~~the~~ the Imam
as regards the above suggestions.

GA


Please attend. Kindly also ask Dr. Kumar to submit
an Estimate in consultation with the Ex^{ce} Eng^r.
The savings if any at the credit of the instn^s sh^d
also be reported. Are the ~~well~~ Mohamedanis
of the place willing to contribute a moiety
towards the preservation of the buildings. &c &c

by 21/5/05 Draft Hubto

190/-06.

923

From The Deputy Commissioner
of Tumkur.



To The Secretary to the Govt of
H. H. the Maharaja of Mysore,
Muzrai Department.

Dated 15th Dec
Despatched 19th Dec 1905

Received

General No. 578
No.

Enclosure No. 3+1 file

Forwarding for sanction
an Estimate, etc., for Rs 1102/-
for repairing the Jamma
Masjid at Sira.

ck
w/ro/los
up

Deputy Commr's office
Tumkur District
Dated Tumkur 15th Dec^r/05.

From

H. Doraswami Esq.
Deputy Commissioner
Tumkur District.

To

L. Ananthaswami Rao Esq.
B. A.
Secretary to the Govt. of His
Highness The Maharaja of
Mysore, Mysore, Mysore

Sir,

With reference to your
letter no: 4116 dated the 4th May
1905, calling for the submission
of Estimates in consultation
with the Executive Engineer for
the renovation of the two structures
viz The Malik Rahiman tomb
and the new jumma masjid
at Sira, &c, I have the honor to

to forward herewith an estimate for Rs 1102/- together with a report - and a sketch plan accompanying the same for repairing the gumma masjid at Lora, received from the Executive Engineer, Junakur Division,

2. It is reported by the Amildar of Lora that no funds are available at the credit of either of the Institutions.

3. From enquiries instituted both by the Amildar and the Assistant Commissioner in charge of the Daluk, it is ascertained that the Mahomedan population of the place are generally very poor and that none of them is willing to contribute anything towards the estimated cost but that they pray that the whole repairs should be executed at Govt. cost.

4. The Suam lands endowed to both the Institutions are reported to be in the possession and enjoyment of the Agents or Care takers of the respective Institutions who are ascertained to be very poor. The income from the Suam lands is reported to be expended for daily lighting besides the Stipulated Jatiha, Arrus tea every year, in the respective Institutions, and thus very little is left for the maintenance of the Care takers. The Suams consist of Wet and Garden lands and it is reported that the income from them is of a fluctuating character, owing to the repeated scanty rainfall and scarcity of Water Supply in the tank, so much so, that there have been years when the income has hardly sufficed

suffice to meet even the stipulated 'Intyakatle' (daily) and 'Hechukatle' (extraordinary) expenditure connected with the two Institutions. On such and other occasions a few well-to-do Mahomedans of the place are ascertained to bear a share of the expenditure on account of the Institutions, and the maintenance of the Care Takers. As such the agents or Care Takers who are in the enjoyment of the Suam lands are quite incapable of rendering any help whatsoever in the matter of repairing the buildings.

5. The Executive Engineer who was requested to send his estimates for the necessary repairs to the two structures has sent in an estimate for the Jumma Masjid alone and has not mentioned anything about the repairs to the Malik Rahman

tomb about which he has been written to again.

6. As opined by the Superintending Engineer the repairs to be executed to the new Jumma Masjid appear to be very urgent. As said above no funds are available at the credit of the Institution and the Mahomedan residents of the place are unwilling to contribute any part of the estimated cost. In view to preserve these ancient buildings I would suggest that the Govt. if so pleased may sanction the accompanying estimate from the State grant of Rs 1500/- provided in the Muzara i Budget for the current official year towards the repairs of
Muzarai

4/

Muzarai Guicungo.

I have the honor to be,

- Sir,

your most obedient servant.

For Deputy Commissioners

844 -

Muzrai

Recd: -- Correspondence
ending with Letter no
578 dated 15th December
1905, from the Dy:
Commr, Tumkur Dist
submitting for sanction
an Estimate for Rs 1102/-
for repairing the Jumma
Masjid at Sira,

No. 3082-40/19.1.08.

Order thereon - No.

M^r Y. Srinivasan, Sup^y
Engineer brought to the
notice of Govt that the
Malik Rahman tomb and
the new Jumma Masjid
at Sira are in a state of
disrepair and that they
are ^{structures of} ~~noted~~ for architectural
interest. The Dy: Commr
was thereupon asked to sub-
mit an Estimate for the
repairs of the two buildings
and he has sent the an
Estimate for Rs 1102/- for

repairing the Jumma Masjid
and reports that the
institution has no savings
at its credit to meet the cost
of the repairs and recommends
that the cost may be met
from the State Grant
of the current official
year.

2. The Estimate for
Rs 1102/- is sanctioned
and forwarded to the
Chief Engineer for execution
of the work in the P. W. Deptt

3 As the whole cost
has to be met from the
State Grant, the ~~P. W.~~ Chief
Engineer is requested not
to charge the usual 10 1/2
per cent for "Supervision
and Tools & Plant."

Dewan's order) 18/1/06
Secretary
To 18/1/06
The Chief Engineer, Mysore
with the sanctioned Estimate
- Comptroller, Mysore Govt.
- Dy. Commr., Tumkur Dist., for return report etc.

Estimate, 12 sheets
1 Report.

965

190 6

MYSORE P. W. DEPARTMENT.

No. 675-

From

THE CHIEF ENGINEER OF MYSORE,

Bangalore.

To

The Secy to the Govt of Mysore
Mysore Dep't.

Dated Bangalore,

2. 2. 06.

Despatched

Enclosure No.

SUBJECT.

Requesting to cause
the sale of No 1102 for
reps: the Jamma Masjid
at Srirangapatna to be placed
at the disposal of Govt

3285
3.2.06

16 fees

CH

3/2/06

2/2

No. 675

MYSORE P. W. DEPARTMENT,

CENTRAL OFFICE,

BANGALORE, 2^d February 1906.

From

W. M. Butcher Esq. M. I. C. E.
~~THE~~ CHIEF ENGINEER OF MYSORE,

BANGALORE.

To

The Secretary to the Government of Mysore,
Muzrai Deput

SIR,

With reference to Government
Proceedings no 3082-4 dated the 19th
Ultimo, sanctioning and forwarding
for execution an Estimate of
Rs 1,102 for repairing the Jamma
Masjid at Siria, - I have the
honor to request that you will
be so good as to cause the
required therefor to be placed
at the disposal of this
at an early date. -

I have the honor to be,
Sir,
Your most obed^t serv^t,

Wm. M. Butcher
Dy Chief Engineer
of Mysore

WMB

316

GOVT. OF INDIA

1906-1907

From

L. ANANTASAMI RAO, Esq., B.A.,
Secretary to the Government,
H. H. the Maharaja of Mysore,
Mysore District.

To

The Comptroller
Mysore Fort.

Dated

27 February 1906

Despatched

Received

General No. 35-13

Muzrai F. No.

Enclosure No.

Govt. Pro. no 3082-4
d/19th January 1906
sanctioning the ~~extra~~
estimate for Rs 1102/-
for repairing the
Jumma Masjid at
Sira and the execution
of the work by the
P.W. Dept.

In continuation of
the

above has the honor
to request that the
amount of the sanctioned
Estimate viz Rs 1102/-
may be placed at the
disposal of the P.W.
Department.

By order

No. 3569.
22/2/06
Secretary
23/2/06
To Copy to the Chief Engineer
of Mysore with reference
to his Letter no 675 of
2nd February 1906.

B.D.

Secy

ds

No. 5049
223
m
FIDM

OFFICE OF THE COMPTROLLER, MYSORE GOVERNMENT,

Dated Bangalore, the 9 March 1906

RAI N. G. BASU BAHADUR, M.A.,
COMPTROLLER, MYSORE GOVERNMENT

To

L. Anantasastry Rao Esq, B.A.,
SECRETARY TO THE GOVERNMENT OF MYSORE,
Muzrai DEPARTMENT.

SIR,

With reference to your No. 3568 of 27-2-'06 requesting to place Rs. 1102/- at the disposal of the Public Works Department for repairing the Jumma Masjid at Sira, I have the honor to state that necessary credit has already been afforded to P.W Department in the accounts of this office for January '06 and the same intimated to the Examiner of Public Works accounts, vide this office No. 197 dated 27-1-'06.

I have the honor to be,

Sir,


Your most obedient servant,

L. Basu
Comptroller.

RA

Subd
Mr. Mayke
filed
file
14/3/06

Muzrai Department.
1906



Rupus

Es
12/3/06

From

Rai N. G. Basu Bahadur, M.A.,
Comptroller, Mysore Govt.

To *L. Channasami Rao* Esq.,

Secretary to the Govt. of Mysore,

Muzrai Dept.

Dated 9th

Despatched

Received

No. *5049*
Muz: 223


Subject Matter.

*Referring to his no. 3565
27/2/06, states that
credit has already been
B.P.M.D. in the accounts of the
Office for Savings & the
intimated to the Examiners*

1906. 07

7
-25

AnA



ks
19/4/07

Note Contd & sent

24/4/07

From
The Dy Commissioner
Munkur Dt.

To
The Secy to the Govt of Mysore
Muz: Dept

Dated 16th }
Despatched 18th } April 07.

Received

General No.
No. 866

Enclosure No. 1 and one file

Forward estimate for Rs 2706/-
for repairing Malik Rahiman
Barga at Siva together with Cpr
Ex: Cpr's Pocket in the same subject

Deputy Commissioner's Office
Tumkur District.

Dated, Tumkur, 16th April 1907.

From

H. Dora Swami Iyer Esq.
Deputy Commissioner
Tumkur District.

To L. Anantarami Rao Esq. B.A.
Secretary to the Govt. of H.H. the
Maha Rajah of Mysore,
Muzrai Department.
Bangalore.

Sir,

Referring to para 5 of
my Letter no 578 dated the 19th
December 1905 in re the repairs
to the Mallik Rahimian Darga
at Srir, I have the honor to
forward herewith an estimate
for Rs 2706/- received from the
Executive Engineer, Tumkur Division.
The estimate provides repairs
to four structures, viz (1)st
Compound wall (2) Darga, (3)rd
Masjid and (4) Nagarbhama. The
Executive Engineer is of opinion
that structure no. (2) proper
needs no repairs, that repairing

no: 3 is superfluous Considering
the fact that there is a Jamma
Masjid in the town and that
a small shed for the care-
-take's stay may be con-
-structed instead of a costly
Nagar Khana.

A copy of the Executive
Engineer's despatch no 69 dated
^{15th}/_{16th} February 1907 on the sub-
-ject together with its three
enclosures is herewith for-
-warded for orders.

I have the honor to be,
Sir,

Your most obedient servant.

M. S. Srinivasulu

For Deputy Commissioner.

1906-07

From The Executive Engineer
 Munkin Division
 To The Deputy Commissioner
 Munkin District

Dated 15th February 1906
 No: 69 Cu 3. 1 Report
 1 Estimate
 1 Plan

Vis No: 212 dated 22nd
 November 1905 requesting to be
 informed if no repairs are
 needed to Allah Rahiman's
 Tomb in Lira.

With reference to the above,
 has the honor to inform him
 that the tomb itself is not in
 need of heavy repairs. The estimate
 for it as per enclosure is Rs 579/-
 but the Rs 340/- entered in it for
 ornamental cut stone parapet
 as requested by the man in
 charge, appears to the Undersigned
 to be a mistake, if the history
 of the existence of the gap in
 the parapet related by the
 Sub Divisional Officer in the
 enclosed report is true. The
 completion of the parapet will
 stop all further enquiries etc

regarding the history of the gap.

2. The Compound wall is in ruins. The estimate provides for rebuilding it.

3. There is a Masjid in the Compound. Whether it should be kept up, when there is a Jumma Masjid in the town, deserves to be considered.

4. The man in charge wants an elaborate Nagarkhana wherein he says many pilgrims stay during fairs. It seems to the undersigned to be sufficient if a small shed were put up for the caretaker to stay in for part of the day, the pilgrims finding accommodation in the town.

Signed C. A. Mhadave Saheb
Executive Engineer
Trunk Division.

Copy

M. S. Memon
For Deputy Commissioner.
YML

6/5

As per orders

May 1 1907

190

From

To The Deputy Commissioner,
Lunkhwa District

Dated

Despatched

April 1907

Received

General No.

No.

Enclosure No.

His Letter no 866 D/162
April 1907 forwarding an
Estimate for Rs 2706/- for
repairing the Malik Rahim,
Dargah at Sora.


With reference to the
above, has the honor to
State that the Govt upon a
perusal of the Ex: Engineer's
report received with his letter,
do not consider it

necessary to sanction any funds from the State Grant for the repairs of the Institution, at present. The matter however may be brought to the notice of the undersigned when he next visits the place.

2. The Deputy Comr is requested to report whether the repairs sanctioned to the Jamuna Masjid in the Govt order of the 19th January 1906 have been completed.

3. The Enclosures are herewith returned for reference and re-submission.

Rs 5200
No. 5200
Copy to the Chief Engineer,
for info.
R.O.
7/5/07
Secy.
R.O.
Secretary.



1907 08 C/10
From The Deputy Commr
Muzrai District

To The Secretary to the
Govt of M. N. Muzrai
Rajah of Mysore
Muzrai Depto

Dated 29th September 07

Despatched 2nd October 07

Received

General No.

No. 206

Enclosure No.

Refer

And

Wp 10/07
by

note contd & sent to

5/10/07

His despatch no: 5279
dated 13th May 1907

His no 5279 dated
13th May 07

Stating that the
repairs of the Gummara
Masjid have been
completed. and add
ing that the completion
report in respect of
the works is reported
to have been sent to
the D. P. W. by the
Executive Engineer

Office of the Deputy Commissioner
Tumkur District.

Dated, Tumkur, 29th September
1907.

From

H. Dasaswami Iyer Esq
Deputy Commissioner
Tumkur District.

To
L. Anantashwami Rao Esq B.A.,
Secretary to the Government of
H.H. the Maharaja of Mysore
Muzrai Department.
Bangalore

Sir,

With reference to para 2 of
your despatch no 5279 dated the
13th May 1907, enquiring if the repairs
sanctioned to the Jumma Masjid
at Srir in the Government Order
no 3082-4 dated the 19 January 1906
have been completed, I have the
honor to state in the affirmative
and to add that the completion
report in respect of the works
is reported to have been sent to
the Comptroller, P.W.D. by the
Executive Engineer Tumkur Division
who was in charge of the work.

I have the honor to be,
Sir,

Your most obedient servant

M. Sreenivasulu

For Deputy Commissioner.

5112

10.10.

To
The Chief Engineer of Mysore
Bangalore.

Despatched 14.10.07

General No. 1905
No.

Sir,

With reference to Govt
Pro: no 3082-43/19th January
1906 sanctioning an estimate
for Rs 1102/- for repairing the
Jumma Masjid at Soia,
I am directed to enquire
whether the work sanctioned
in the Pro: read above has been
Completed.
In favour of an
early reply is requested.
I have &c

G.P.L-3,000-19-9-07

11/10

Completed.
In favour of an
early reply is requested.
I have &c

GPB-3,000--19-9-07

No. 8114

CLW
MYSORE P. W. DEPARTMENT,
CENTRAL OFFICE,
BANGALORE, 22nd November 1907

From W. Mc Hutchin Esquire, M.I.C.E.,
~~THE~~ CHIEF ENGINEER of MYSORE,
BANGALORE.

To L. Anantasami Rao Esquire, P.A.,
Secretary to the Government
of His Highness the Maharaja of Mysore,
Muzrai Department.

SIR,

With reference to your letter No. 1905 dated the 14th ultimo, enquiring whether the repair of the Turma Masjid at Sira, for which an estimate of Rs. 1,102 was sanctioned in January 1906, has been completed, I have the honor to inform you that the work referred to is reported to have been completed in November 1906. Copy of the Completion Report together with the completion certificate in original obtained from the Agent of the Masjid, is herewith forwarded for information.

I have the honor to be,

Sir,

Your most obedient servant,

M. S. Srinivasulu

For Chief Engineer of Mysore.

Kes

5-05.

1907

MYSORE P. W. DEPARTMENT.



Aug.

Re please
at 25/11/07

note continued & submitted for
information.

25/11/07

No. 8114

32

From

THE CHIEF ENGINEER OF MYSORE,

Bangalore.

To

The Secretary to Government,
Muirai Department

Dated Bangalore, 22-11-1907

Despatched

Enclosure No.

SUBJECT.



Lunkar DIVISION.

Return of Works completed during
the month of *October 1906*

No. *107* dated *27-11-06*.

Forwarded to the Examiner of Public
Works Accounts of Mysore

(2) G. A. Mahadevaswami
Executive Engineer

Lunkar

copy

permanently

Eng
Eastern
16/11/07

Zumbler DIVISION

Return of Works completed during the month of *October* 190*6*.

Name of work	Estimated cost	Actual cost	Difference		Date of completion	By whom executed	Inspected by	Name of the officer who took the final measurements, and also who inspected or passed the work and if it was executed satisfactorily or otherwise.
			More	Less				

Deposits

*Repairing gunnery
magazines at Sira*

1102	1097	5	<i>A. Retnaselapothar</i> <i>mag</i>	<i>April 1906</i>	<i>Subverser not inspected.</i>	<i>Work carried out East inspected and overseen by V. Arumuga on 27-10-06. Final measure- ments were checked by the same officer.</i>
------	------	---	---	-------------------	---------------------------------	---

Date 22nd November 06

Per S. R.
Accountant.

Per C. A. _____

Executive Engineer.
Kannur Dy.

27/11,

113'
Murrai

Recd. —

Govt Pro no 3082-4 D 19th

Jamrao, 1906 Sanctioning an
Estimate for Rs 1102/- for repairing
the Jamra Masjid at Soia

Letter no 8114 D, 22nd November
1907 from the Chief Engineer of
Mysore, reporting that the works
sanctioned to the above Masjid
have been completed and ~~that~~
forwarding for info.
the Completion report obtained
from the Agent of the Masjid is
~~forwarded for information.~~

No. 2550 D/28.11.07

Order thereon no _____

Recorded.

28/11/07

Secretary

27/11/07

To
The Chief Engineer of Mysore

" A.C. From Kun Distt.

22.1.08

Muz. 1]

190

From

To

The Deputy Comr

Jam Kwe District

Dated

Despatched

Received

General No. 5279
No.

Enclosure No.

Has the honor to
request that the enclosures
regarding the repairs to
the Malik Rahimion She
Darga at ~~Imphal~~ ^{Siva} returned
to this Office docket
No. 5279 dt 13th May 1907
may be kindly forwarded
to this Office at an early date

GPL-3,000-19-9-07

W. M. S. Se

23/1/08

3115



From

To

Dated

Despatched

Received

General No. _____
No. _____

Enclosure No. 4.

Myself please
and
Manufacture note
W 20/10/08

note Cont 2 + Sub 2

21/2/08

422
Ecc. 4

Office of the Deputy Commissioner
Tumkur District

Dated the 17th February 1908

From.

K. Doraswami Iyer Esq
Deputy Commissioner
Tumkur District

To.

L. Anantarami Rao Esq B.A.
Secretary to the Government of
His Highness the Maharaja
of Mysore
Muzrai Department

Sir,

I have the honor to forward
herewith the enclosures returned
with your docket no 3279, dated
13th May 1907, as required in your
docket no 3411, dated the 24th Ja-
nuary 1908, regarding the repairs
to the Malik Raghunath Shree Durga
at Sira.

I have the honor to be,
Sir,
your most obedient servant

K. Doraswami
Deputy Commissioner
MD

-611

Muzrai

Endorsement granted to
 Mohaden Khan and others
 Mohomedan residents of Siva,
 in ref^y to their Petition no 2712
 d/ 3rd January 1908 addressed
 to the Dewan ~~Shah~~ praying,
 for the repairs of the Maliki
 Rahimou Darga at Siva.

No. 127 d/10.7.08

a.7

The Petitioners are
 informed that if they come
 forward with ^{a large} ~~General~~ contri-
 bution towards the repairs
 in question, Govt will
 consider whether it is possible
 to make some assignment
 of fund from the State Grant.

Issue
 877 -

Dewan's order

MB

P. J. C.

C. G.

W. 11-108 Securo

Cop^y to D.C. Junker D^r,
with reference to his letter
no 422 D, 17th February 1908.
returning enclosures.

PJO

dfh.

Secretary
W 6/7/08